

**DEXRON® Bearing Test – DIN 51819 T3  
Report Forms  
Form 1**

Formulation Code							
Formulation Code							
SID	SponsorCode	Modification	Blend	Method	Count	Lab	Test Rig

Blended Sample Testing Information <sup>A</sup>			
Candidate Percentage		Other Percentage	
Other Fluid ID			

<sup>A</sup> If not a Blended Sample then report 100% Candidate Percentage, 0% Other Percentage, and “None” for Blend Fluid ID.

Test Identification			
Sponsor			
Sponsor In-House Number			
Lab In-House Number			
Alternate Code			
Test Number <sup>B</sup>			
Test Rig		Run Number	
Start Date		Start Time	
EOT Date		EOT Time	

<sup>B</sup> Test Number = Test Rig– Run Number

Test Validity Statement	
This test has been conducted in a valid manner – YES or NO	
Test Laboratory	
Signature	
Typed Name	
Title	

Comments

**DEXRON® Bearing Test – DIN 51819 T3**

**Test Results**

**Form 2**

Formulation Code	
Test Number	

<b>Weight Loss – Wear Test Results</b>		
Weight Loss, mg	Motor Side	Spring Side
Housing Washer		
Shaft Washer		
Cage		
Rollers		

<b>Wear Test Conditions</b>	
Load – Kn	
Revolutions per minute	
Test Length – h	
Test Temperature - °C	
Friction Torque at Start – Nm	
Friction Torque at Steady State – Nm	

<b>Weight Loss – Pitting Test Results</b>		
Weight Loss, mg	Motor Side	Spring Side
Housing Washer		
Shaft Washer		
Cage		
Rollers		

<b>Pitting Test Conditions</b>	
Load – kN	
Total Revolutions – millions	
Total Test Length – h	
Test Temperature – °C	
Friction Torque at Start – Nm	
Friction Torque at End – Nm	

<b>Pitting Test Runtime Profile</b>		Total Number of Stages
Stage Start Hours – h	Stage End Hours – h	Stage Speed – rpm

*(Report Test Start Stage Time as hour 0)*

<b>Pitting Test Runtime Profile Comments</b>

**DEXRON® Bearing Test – DIN 51819 T3**  
**Test Report Placeholder Form**  
**Form 3**

Formulation Code	
Test Number	

Append the complete test report PDF to these forms, in place of this page.